



Work Order (Bid Form)

WORK ORDER INFORMATION

Work Order Name: WO/15015SE-5088/1

Work Order Type: Weatherization

Audit Name: 15015SE-5088

CLIENT INFORMATION

Client Name: N/A

Address:

Client ID: 15015SE-5088

Alt. Client ID: McMINN

CLIENT CONTACT INFORMATION

N/A

Applicant/Person of
Record

☐

Site Built

AGENCY INFORMATION

Agency: Southeast Tennessee Human Resource Agency

Agency Phone: (423) 949-2191

Address: 312 Resource Rd.

Fax: (423) 949-4023

Dunlap, TN 37327

Email Address: aramsey@sethra.us

Agency Contact: Forrester, Mary

Work Phone:

Cell Phone: (865) 548-6350

Email Address:

Company Name & License Number: _____

Contractor's Signature: _____

COMMENT

Client Name: N/A

Client ID: 15015SE-5088

Alt. Client ID: McMINN

Work Order (Bid Form)

Work Order Name: WO/15015SE-5088/1

Report Run On: 4/29/2010

DOE Weatherization Assistant

Version 8.6.0

Page 1 of 4

Measures

Measure 1 Mastic 8 Supply Boot

Components

Inspected

☐

Comment Liquid white Mastic to be applied to entire inside of boot to seal all seams. Top of boot where it meets subfloor to be caulked with appropriate caulk. Boots to be insulated on outside of boot to R-6. This is best performed with 2-part close cell foam. No changes allowed. Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.

NOTE:When post audit is performed, all boots must be below 1 pascal with none over 3 pascals and not more than 3 boots over 1 pascal but less than 3 pascals.

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Construction Mate	Mastic/Insulate Supply Boot	Each	8	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Other Detail									
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Measure Sub Total:						<input type="text"/>	Sub Total:		

Field Notes:

Measure 2 DWH Pipe Insulation**Components****Inspected****Comment**☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	DHW Pipe Insulation Includes labor cost. All corners must be cut properly. Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	DHW Pipe Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
3	Other	DHW Pipe Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:****Measure 3 Floor Ins. R-19****Components F1****Inspected****Comment** Currently Zero Exist☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Floor Insulation - Fiberglass Batts - R-19	SqFt	1056	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Other Detail									
<input type="text"/>		<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>		<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Measure Sub Total:						<input type="text"/>	Sub Total:		<input type="text"/>

Field Notes:

Client Name: N/A

Client ID: 15015SE-5088

Alt. Client ID: McMINN

Work Order (Bid Form)

Work Order Name: WO/15015SE-5088/1

Report Run On: 4/29/2010

DOE Weatherization Assistant

Version 8.6.0

Page 3 of 4

Measure 4 DWH Tank Insulation				Components				Inspected	
Comment									
				Estimated		Actual			
#	Material / Labor	Description / Comment	Units	Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Hot Water Equipm	DHW Tank Insulation Includes labor cost. R-10 minimum. Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.	Each	1					
2	Labor	DHW Tank Insulation	Each	1					
3	Other	DHW Tank Insulation	Each	1					
Other Detail									
Measure Sub Total:							Sub Total:		
Field Notes:									

Measure 6 Attic Ins. R-20				Components A1				Inspected	
Comment				Currently at R18. Bring to R38 by blowing in R20 with Blown Cellulose					
				Estimated		Actual			
#	Material / Labor	Description / Comment	Units	Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Attic Insulation - Blown Cellulose - R-20	SqFt	1056					
Other Detail									
Measure Sub Total:							Sub Total:		
Field Notes:									
Work Order Grand Total:							Grand Total:		